

Patent Docket P172 P1 P1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Leonard Presta

Serial No.: 09/713,425

Filed: November 15, 2000

For: POLYPEPTIDE VARIANTS WITH

ALTERED EFFECTOR FUNCTION

Group Art Unit: 1653

Examiner: To Be Assigned

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner of Patents, Washington, D.C. 20231 on

March 13, 2001

Anna Kan

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

Applicants submit herewith patents, publications or other information (attached hereto and listed on the attached revised Form PTO-1449) of which they are aware, which they believe may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR §1.56.

This Information Disclosure Statement is filed in accordance with the provisions of:

[X] 37 CFR §1.97(b)

- within three months of the filing date of the application other than a continued prosecution application under 37 CFR §1.53(d); or
- within three months of the date of entry of the national stage of a PCT application as set forth in 37 CFR § 1.491, or
- before the mailing of the first Office action on the merits; or
- before the mailing of the first Office action after the filing of a request for a continued examination under 37 CFR §1.114.

[] 37 CFR §1.97(c)

• by the applicant after the period specified in 37 CFR §1.97(b), but prior to the mailing date of any of a final action under 37 CFR §1.113, or a notice of allowance under 37 CFR §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by either the fee set forth in 37 CFR §1.17(p) or a statement as specified in 37 CFR §1.97(e), as checked below.

[] 37 CFR §1.97(d)

• after the period specified in CFR §1.97(c), and is accompanied by the fee set forth in 37

CFR §1.17(p) and a statement as specified in 37 CFR §1.97(e), as checked below.

[If either of boxes 37 CFR §1.97(c) or 37 CFR §1.97(d) is checked above, the following statement under 37 CFR §1.97(e) may need to be completed.]

- [] 37 CFR §1.97(e) Each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this information disclosure statement.
- [] 37 CFR §1.704(d) Each item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application and the communication was not received by any individual designated in §1.56(c) more than thirty days prior to the filing of this information disclosure statement. Therefore, in accordance with the provisions of 37 CFR §1.704(d), the filing of this information disclosure statement will not be considered a failure to engage in reasonable efforts to conclude prosecution under 37 CFR §1.704.
- [] The U.S. Patent and Trademark Office is hereby authorized to charge Deposit Account No. 07-0630 in the amount of \$180.00 to cover the cost of this Information Disclosure Statement under 37 CFR §1.17(p). Any deficiency or overpayment should be charged or credited to this deposit account.

A list of the patent(s) or publication(s) is set forth on the attached revised Form PTO-1449 (Modified).

A copy of the items on PTO-1449 is supplied herewith.

Those patent(s) or publication(s) which are marked with an asterisk (*) are not supplied.

[] BLAST results enclosed:

The undersigned also wishes to bring to the attention of the Examiner BLAST results of computerized alignments of the against sequences contained in the nucleotide and protein databases. The BLAST results are provided in paper form and are identified as reference "BLAST Results A-1- A-()" (nucleotide) and "BLAST Results B-1 - B-()" (protein) on the PTO Form 1449. Applicant requests that these references also be considered and that the Form 1449 be initialed to indicate the Examiner's consideration of the references.

A concise explanation of relevance of the items listed on PTO-1449 is:

[X] not given

- [] given for each listed item
- [] given for only non-English language listed item(s) [Required]

Page 3

in the form of an English language copy of a Search Report from a foreign patent office, issued in a counterpart application, which refers to the relevant portions of the references.

In accordance with 37 CFR \$1.97(g), the filing of this information disclosure statement shall not be construed as a representation that a search has been made.

In accordance with 37 CFR §1.97(h), the filing of this information disclosure statement shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in 37 CFR § 1.56(b).

In the event that the Office determines a fee to be due where none is specifically authorized in this paper, the U.S. Patent and Trademark Office is hereby authorized to charge Deposit Account No. 07-0630 in the amount of \$180.00 to cover the cost of this Information Disclosure Statement under 37 CFR §1.17(p).

Respectfully submitted,

GENENTECH, INC.

Date: March ____, 2001

Wendy M. Lee

Reg. No. 40,378

Telephone No. (650) 225-1994

09157
PATENT TRADEMARK OFFICE

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

U.S. Dept. of Commerce

Patent and Trademark Office

Atty Docket No.

Serial No. 09/713,425

P1726R1P1 Applicant

Presta, L

Filing Date

U.S. PATENT DOCUMENTS

xaminer nitials		Document Number	Date	Name	Class	SURPER	Filing Date
	1	4,752,601	21.06.88	Hahn		1000	7
	2:	5,348,876	20.09.94	Michaelsen et al.			
	3	5,624,821	29.04.97	Winter et al.			
	4	5,648,260	15.07.97	Winter et al.			
	5	5,698,449	15.12.97	Baumann et al.			
	tj.	5,736,137	07.04.98	Anderson et al.			
	7	5,935,599	16.11.99	McKenzie et al.			
	8	6,194,551 B1	27.02.01	Idusogie et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Transla Yes	ation No
İ	9	WO (∙0÷09560	24.02.00	PCT				
	10	WO 88:07089	22.09.88	PCT				
	1	WO 94-29351	22.12.94	PCT				
	12	WO 97:28267	07.08.97	PCT				
	13	WO 97/44362	27.11.97	PCT				
	14	WO 98/23289	04.06.98	PCT				
	15	WO 98/52975	26.11.98	PCT				
	15	WO 99/43713	02.09.99	PCT				
	17	WO 99/51642	14.20.99	PCT				
	18	WO 99/58572	18.11.99	PCT				
								l

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

l	Allan and Isliker, "Studies on the complement-binding site of rabbit immunoglobulin G-1. Modification of
19	tryptophan residues and their role in anticomplementary activity of rabbit IgG" Immunochemistry
	11(4):175-180 (Apr 1974)
	Angal et al., "A single amino acid substitution abolishes the heterogeneity of chimeric mouse/human

20 (IgG4) antibody" Molecular Immunology 30(1):105-108 (Jan 1993)

Armour et al., "Recombinant human IgG molecules lacking Fcγ receptor I binding and monocyte triggering activities" European Journal of Immunology 29(8):2613-2624 (Aug 1999)

Bloom et al., "Intrachain disulfide bond in the core hinge region of human IgG4" Protein Science

6:407-415 (1997)

Bolland et al., "SHIP modulates immune receptor responses by regulating membrane association of Btk" Immunity 8(4):509-516 (Apr 1998)

Bredius et al., "Role of neutrophil FcyRIIa (CD32) and FcyRIIIb (CD16) polymorphic forms in phagocytosis

of human IgG1- and IgG3-opsonized bacteria and erythrocytes" Immunology 83(4):624-630 (Dec 1994)

Brekke et al., "Human IgG isotype-specific amino acid residues affecting complement-mediated cell lysis and phagocytosis" European Journal of Immunology 24(10):2542-2547 (Oct 1994) 25

Burmeister et al., "Crystal structure of the complex of rat neonatal Fc receptor with Fc" Nature 372(6504):379-383 (Nov 24, 1994)

Examiner

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce Patent and Trademark Office Atty Docket No. P1726R1P1

Serial N

Applicant

Presta, L.

Filing Date

15 Nov 2000

(Use several sheets if necessary)

LIST OF DISCLOSURES CITED BY APPLICANT

	OTHER RICCI OCHRES (Including Author Title D	ata Partinant Pagas ata)				
	OTHER DISCLOSURES (Including Author, Title, D Burton and Woof, "Human Antibody Effector Function" Advances	7/-				
27		To the second se				
28	Burton et al., "Molecular recognition of antibody (IgG) by a mmunology 25(11):1175-1181 (1988)	cellular Fo receptor (FcRI)" <u>Molecular</u>				
29	Burton et al., "The Clq receptor site on immunoglobulin G" !	Nature 288(5789):338-344 (Nov 27, 1980)				
30	Burton, D.R., "Immunoglobulir. G: Functional Sites" Molecula:	: Immunology 22(3):161-206 (1985)				
51	Canfield and Morrison, "The binding affinity of human IgG for determined by multiple amino acids in the CH2 domain and is Experimental Medicine 173(6):1483-1491 (Jun 1, 1991)	modulated by the hinge region" <u>Journal of</u>				
3/2	Capel et al., "Heterogeneity of Human IgG Fc Receptors" <u>Imm</u>	<u>unomethods</u> 4:25-34 (1994)				
33	Capon et al., "Designing CD4 Immunoadhesins for AIDS Therap	/" <u>Nature</u> 337:525-531 (February 9, 1989)				
34	Carter et al., "Humanization of an anti-p185HERZ antibody for 3ci. 89:4285-4289 (1992)	or human cancer therapy" <u>Proc. Natl. Acad.</u>				
35	Chappel et al., "Identification of Secondary FcYRI Binding S IgG Antibody" <u>Journal of Biological Chemistry</u> 268:25124-251					
36	Chappel et al., "Identification of the Fcy receptor class I recombinant IgG1/IgG2 hybrid and point-mutated antibodies"; (Oct 15, 1991)	Proc. Natl. Acad. Sci. USA 88(20):9036-904				
37	Clynes and Eavetch, "Cytotoxic antibodies trigger inflammation through Fc receptors" <u>Immunity</u> 3(1):21-26 (Jul 1995)					
38	Clynes et al., "Fc receptors are required in passive and active immunity to melanoma" <u>Proc. Natl. Acad.</u> <u>Sci. USA</u> 95(2):652-656 (Jan 20, 1998)					
39	Clynes et al., "Modulation of immune complex-induced inflammation in vivo by the coordinate expression of activation and inhibitory Fc receptors" <u>Journal of Experimental Medicine</u> 189(1):179-185 (Jan 4, 1999)					
40	Clynes et al., "Uncoupling of immune complex formation and kidney damage in autoimmune glomerulonephritis" <u>Science</u> 279(5353):1052-1054 (Feb 13, 1998)					
41	Cosimi, A.B., "Clinical Development of ORTHOCLONE OKT3" <u>Transplantation Proceedings</u> (Suppl 1) XIX(2):7-16 (Apr 1987)					
42	Daeron, M., "Fc Receptor Biology" <u>Annual Review of Immunology</u> 15:203-234 (1997)					
43	de Haas et al., "Fcy receptors of phagocytes" <u>J. of Laboratory Clinical Medicine</u> 126:330-341 (1995)					
4.4	Deisenhofer, J, "Crystallographic Refinement and Atomic Models of a Human Fc fragment and Its Complex with Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Biochemistry					
45	20(9):2361-2370 (1981) Duncan and Winter, "The binding site for Clq on IgG" <u>Nature</u> 332:738-740 (Apr 21, 1988)					
46	Duncan et al., "Localization of the binding site for the hu 332:563-564 (April 7, 1988)	man high-affinity FC receptor on IgG" <u>Natu</u>				
<u> </u>		Date Considered				

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner

(Feb 1994)

of Immunology 142:2359-2364 (1989)

65

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Hogarth et al., "Characterization of FcR Ig-binding sites and epitope mapping" Immunomethods 4(1):17-24

Huizinga et al, "Binding Characteristics of Dimeric IgG Subclass Complexes to Human Neutrophils" <u>Journal</u>

high-affinity receptor FERI" Biochemistry 36:15568-15578 (1997)

FORM PTO-14

LIST OF DISCLOSURES AND

U.S. Dept. of Commerce

BY APPLICANT

Patent and Trademark Office

Atty Docket No. 🥕 P1726R1P1

Applicant

Presta, L.

Filing Date

15 Nov 2000

(Use several sheets if necessary)

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

	OTHER DISCLOSURES (Including Author, Title, D	ate, Pertinent Pages, etc.)					
67	Hulett et al., "Chimeric Fc Receptors Identify Functional Do for IgG" <u>J. Immunol.</u> 147:1863-1868 (1991)	omains of the Murine High Affinity Receptors					
63	Jaakkola et al., "In vivo detection of vascular adhesion protein-1 in experimental inflammation" American Journal of Pathology 157(2):463-471 (Aug 2000)						
69	Janeway et al. <u>Immunobiology, The Immune System in Heal</u> th ar Inc., NY & London (1994)	d Disease, CB Ltd and Garland Publishing					
71)	on Human IgG for Fc Receptors (huFcγR)"						
* 71	Kabat <u>Sequences of Proteins of Immunological Interest</u> , US Dept of Health and Human Services, NIH, 5th edition, Bethesda, MD (1991)						
7.2	Fabat, E. et al. <u>Sequences of Proteins of Immunological Interest</u> (pgs. 569, 671, 687, 695), 5th edition, bethesda, MD:NIH Vol. 1 (1991)						
	Fim et al., "Catabolism of the Murine IgGl Molecule Evidenc Fequired for Persistence of IgGl in the Circulation of Mice" 40(4):457-465 (1994)	Scandinavian Journal Of Immunology					
	Eim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by site-directed mutagenesis" <u>European Journal of Immunology</u> 24:542-548 (1994)						
75	Fim et al., "Inhibition of Vascular Endothelial Growth Factor-Induced Angiogenesis Suppresses Tumour Growth in vivo" <u>Nature</u> 362:841-844 (1993)						
	Kim et al., "Localization of the site of the murine IgG1 molecule that is involved in binding to the murine intestinal Fc receptor" <u>European Journal of Immunology</u> 24:2429-2434 (1994)						
77	Fim et al., "The Vascular Endothelial Growth Factor Proteins: Identification of Biologically Relevant Fegions by Neutralizing Monoclonal Antibodies" <u>Growth Factors</u> 7(1):53-64 (1992)						
78	Koene et al., "FcγRIIIa-158V/F Polymorphism Influences the Binding of the IgG by Natural Killer Cell FcγRIIIa, Independently of the FcγRIIIa-48L/R/H Phenotype" <u>Blood</u> 90(3):1109-1114 (1997)						
79	Kunkel, T., "Rapid and Efficient Site-Specific Mutagenesis W <u>Acad. Sci.</u> 82:488-492 (1985)	ithout Phenotypic Selection" Proc. Natl.					
80	Lauvrak et al., "Identification and characterisation of Clq-binding phage displayed peptides" <u>Biologica</u> <u>Chemistry</u> 378(12):1509-1519 (Dec 1997)						
81	Lehrnbecher et al., "Variant genotypes of FcyRIIIA influence the development of Kaposi's sarcoma in HIV-infected men" <u>Blood</u> 95(7):2386-2390 (2000)						
82	Lehrnbecher et al., "Variant genotypes of the low-affinity Fcγ receptors in two control populations and a review of low-affinity Fcγ receptor polymorphisms in control and disease populations" <u>Blood</u> 94(12):4220-4232 (Dec 15, 1999)						
	Li et al., "Reconstitution of human FcγRIII cell type specificity in transgenic mice" <u>Journal of Experimental Medicine</u> 183(3):1259-1263 (Mar 1, 1996)						
	Lifely et al., "Glycosylation and biological activity of CAMPATH-1H expressed in different cell lines and grown under different culture conditions" Glycobiology 5(8):813-822 (Dec 1995)						
85	Lorenz et al., "Strong association between the responder status of the FCyII receptor and recurrent spontaneous abortion" <u>European Journal of Immunogenetics</u> 22(5):397-401 (Oct 1995)						
86	Lucas et al., "High-level production of recombinant proteins intron expression vector" <u>Nucleic Acids Research</u> 24(9):1774-						
l Examiner		Date Considered					

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation

if not in conformance and not considered. Include copy of this form with next communication to applicant.

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)
	87	Lund et al., "Human FcyRI and Fcy RII interact with distinct but overlapping sites on human IgG" <u>Journal</u> of Immunology 147(8):2657-2662 (Oct 15, 1991)
	88	Lund et al., "Multiple binding sites on the CH2 domain of IgG for mouse FcYEll" <u>Molecular Immunology</u> 29(1):53-59 (Jan 1992)
	6.3	Lund et al., "Multiple Interactions of the IgG with Its Core Oligosaccharide Can Modulate Recognition by Complement and Human Fcγ Feceptor I and Influence the Synthesis of Its Oligosaccharide Chains" J.
	<u>(</u> 4+)	Immunol. 157:4963-4969 (1996) Lund et al., "Oligosaccharide-protein interactions in IgG can modulate recognition by Fcy receptors" FASEB Journal 9:115 119 (1995)
	92	Medesan et al., "Comparative studies of rat IgG to further delineate the Fc:FcRN interaction site" <u>European Journal of Immunology</u> 28:2092-2100 (1998)
	92	Medesan et al., "Delineation of the amino acid residues involved in transcytosis and catabolism of mouse IgG1" <u>Journal of Immunology</u> 158(5):2211-2217 (Mar 1, 1997)
	93	Medesan et al., "Localization of the site of the IgG molecule that regulates maternofetal transmission in mice" <u>European Journal of Immunology</u> 26(10):2533-2536 (Oct 1996)
	94	Meng et al., "Green fluorescent protein as a second selectable markerfor selection of high producing clones from transfected CHO cells" <u>Gene</u> 242:201-207 (2003)
	95	Miller et al., "A Novel Role for the Fc Receptor γ Subunit: Enhancement of the FcγR Ligand Affinity" <u>Journal of Experimental Medicine</u> 183:2227-2233 (1996)
	မှုနှ	Morgan et al., "The N-terminal end of the $C_{\rm H}2$ domain of chimeric human IgG1 anti-HLA-DR is necessary for Clq, Fc γ RI and Fc γ RIII binding" Immunology 86(2):319-324 (Oct 1995)
	ġ.J	Morrison et al., "Structural Determinants of Human IgG Function" <u>Immunologist</u> 2:119-124 (1994)
	98	Nagarajan et al., "Ligand binding and phagocytosis by CD16 (Fc γ receptor III) isoforms. Phagocytic signaling by associated ζ and γ subunits in Chinese hamster ovary cells" <u>Journal of Biological Chemistry</u> 270(43):25762-25770 (Oct 27, 1995)
	99	Ngo et al., "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox" <u>The Protein Folding Problem and Tertiary Structure Prediction</u> , Merz & Le Grand, Boston:Birkhauser pps. 491-495 (1994)
	100	Nieto et al., "Involvement of the Fcγ receptor IIIA genotypes in susceptibility to rheumatoid arthritis" Arthritis and Eheumatism 43(4):735-739 (2000)
	101	Okada et al., "Cutting Edge: Role of the inositol phosphatase SHIP in B cell receptor-induced Ca ²⁺ oscillatory response" <u>Journal of Immunology</u> 161(10):5129-5132 (Nov 15, 1998)
	102	Ono et al., "Deletion of SHIP or SHP-1 reveals two distinct pathways for inhibitory signaling" <u>Cell</u> 90(2):293-301 (Jul 25, 1997)
	103	Ono et al., "Role of the inositol phosphatase SHIP in negative regulation of the immune system by the receptor FcYFIIB" <u>Nature</u> 383(6597):263-266 (Sep 19, 1996)
	104	Papac et al., "A high-throughput microscale method to release N-linked oligosaccharide from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis" Glycopiology 8(5):445-454 (1998)
	105	Papac et al., "Analysis of Acidic Oligosaccharides and Glycopeptides by Matrix-Assisted Laser Desorption/Ion:zation Time-of-Flight Mass Spectrometry" <u>Anal. Chem.</u> 68:3215-3223 (1996)
	106	Popov et al., "The stoichiometry and affinity of the interaction of murine Fc fragments with the MHC class I-related receptor, FcRn" Molecular Immunology 33(6):521-530 (Apr 1996)
Examiner	r	Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	018	Sheet 6_ of 8_				
FORM PTO-	1449 B MAR 2 3 2000 B U.S. Dept. of Commerce	Atty Docket No. Serial Vo.				
	U.S. Dept. of Commerce Patent and Trademark Office	P1726R1P1 09/703 25				
	SCLOSURES OF TABLE APPLICANT	Applicant				
(USE SE	eral sheets if necessary)	15 Nov 2000 2653				
•	OTHER DISCLOSURES (Including Author, Title, Date,					
. 197	Porges et al., "Novel Fcy Receptor I Family Gene Products in Hum 90:2102-2109 (1992)	an Mononuclear Cells" <u>J. Clin. Invest.</u>				
108	Presta et al., "Humanization of an Anti-Vascular Endothelial Gr Therapy of Solid Tumors and Other Disorders" <u>Cancer Research</u> 57					
1:)9	Raghavan and Bjorkman, "Fc Receptors and their Interactions with Biol. 12:181-220 (1996)	n Immunoglobulins" <u>Annu. Rev. Cell. Dev.</u>				
110	Raghavan et al., "Analysis of the pH dependence of the neonatal using antibody and receptor variants" <u>Biochemistry</u> 34(45):14649					
111	Eavetch and Clynes, "Divergent roles for Fc receptors and compload Immunology 16:421-432 (1998)	ement in vivo" <u>Annual Review of</u>				
112	Ravetch and Kinet, "Fc Receptors" <u>Annual Review of Immunology</u> 9	457-492 (1991)				
113	Ravetch, J., "Fc receptors" <u>Current Opinion in Immunology</u> 9(1):	.21-125 (*eb 1997)				
114	Ravetch, J., "Fc receptors: rubor redux" <u>Cell</u> 78(4):553-560 (Aug	; 26, 1994)				
115	Reff et al., "Depletion of B cells in vivo by a chimeric mouse 183(2):435-445 (Jan 15, 1994)	numan monoclonal antibody to CD20" <u>Blood</u>				
116	Sarmay et al., "Ligand inhibition studies on the role of Fc rece cell-mediated cytotoxicity" <u>Molecular Immunology</u> 21(1):43-51 (Ja	n 1984)				
117	Sarmay et al., "Mapping and comparison of the interaction sites triggering antibody dependent cellular cytotoxicity (ADCC) throu receptor" Molecular Immunology 29(5):633-639 (May 1992)	ngh different types of human Fcγ				
118	Sensel et al., "Amino acid differences in the N-terminus of ${ m C}_{ m H}2$ and IgG3 to activate complement" Molecular Immunology 34(14):10:	9-1029 (Oct 1997)				
119	Shores et al., "T cell development in mice lacking all T cell re Fc&RIY)" Journal of Experimental Medicine 187(7):1093-1101 (Apr	5, 1998)				
120	Sondermann et al., "Crystal structure of the soluble form of the the immunoglobulin superfamily at 1.7 A resolution" EMBO Journal	18(5):1095-1103 (1999)				
121	Sondermann et al., "The 32-A crystal structure of the human IgG1 406:267-273 (2000)					
122	Strohmeier et al., "Neutrophil functional responses depend on in Leukocyte Biology 58(4):403-414 (Oct 1995)	mune complex valency" <u>Journal of</u>				
123	Strohmeier et al., "Role of the FcyR subclasses FcyRII and FcyRII neutrophils by low and high valency immune complexes" <u>Journal of</u> 1995)					
124	Suzuki et al., "Distinct contribution of Fc receptors and angiot glomerulonephritis" <u>Kidney International</u> 54(4):1166-1174 (Oct 19					
125	Sylvestre and Ravetch, "A dominant role for mast cell Fc recepto 5(4):387-390 (Oct 1996)	rs in the Arthus reaction" <u>Immunity</u>				
126	Sylvestre and Favetch, "Fc receptors initiate the Arthus reaction Science 265(5175):1095-1098 (Aug 19, 1994)	n: redefining the inflammatory cascade"				
Examiner	Da	te Considered				
*Examiner: In if not in conf	tial if reference considered, whether or not citation is in conformance with MPEP or commance and not considered. Include copy of this form with next communication to	609; draw line through citation				

FORM PTO-1449 LIST OF DISCLOSURES OF MED BY APPLICANT

U.S. Dept. of Commerce

Patent and Trademark Office

Serial No. Atty Docket No. Applicant Filing Date

(Use several sheets if necessary)

,		·	15 Nov 2000 0 1693			
•		OTHER DISCLOSURES (Including Author, Title, Date	e, Pertinent Pages, etc.)			
	127	Sylvestre et al., "Immunoglobulin G-mediated inflammatory respondence of the complement-deficient mice" <u>Journal of Experimental Medicine</u> 15	34(6) 2385-2392 (199 1, 1996)			
	Takai et al., "Augmented humoral and anaphylactic responses in FcYFII-deficient oce" <u>Nature</u> 128 379(6563):346-349 (Jan 25, 1996)					
	129	Takai et al., "FCR γ chain deletion results in pleiotrophic effector cell defects" Cell 76(3):519-529 (F ϵ b 11, 1994)				
	130	Tamm et al., "The IgG binding site of human FcγRIIIB receptor involves CC' and FG loops of the membrane-proximal domain" <u>Journal of Biological Chemistry</u> 271(7):3659-3666 (Feb 16, 1996)				
	131	Tag et al., "Structural features of human immunoglobulin G the in complement activation" <u>Journal of Experimental Medicine</u> 17.	at determine isotype-specific differences 8(2):561-667 (Aug 1, 1993)			
	132	Tao et al., "Studies of aglycosylated chimeric mouse-human IgG. Role of Carbohydrate in the Structure and Effector Functions Mediated by the Human IgG Constant Region" <u>Journal of Immunology</u> 143(8):2595-2601				
	(Oct 15, 1989) Tao et al., "The differential ability of human IgG1 and IgG4 to activate complement is determined by th 133 COOH-terminal sequence of the CH2 domain" <u>Journal of Experimental Medicine</u> 173(4):1025-1028 (Apr 1991)					
	134	Tax et al., "Fc receptors for mouse IgG1 on human monocytes: polymorphism and role in antibody-induced T cell proliferation" <u>Journal of Immunology</u> 133(3):1185-1189 (Sep 1984)				
	135	Ting et al., "Fcγ receptor activation induces the tyrosine phosphorylation of both phospholipase C (PLC)-γ1 and PLC-γ2 in natural killer cells" Journal of Experimental Medicine 176(6):1751-1755 (Dec 1,				
	136	Umana et al., "Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity" Nature Biotechnology 17:176-180 (1999)				
	137	Chomistry 273(10):5829-5840 (Mar 6 1998)				
	138	Van de Winkel and Anderson, "Biology of human immunoglobulin G Fc receptors" <u>Journal of Leukocyte</u> Biology 49(5):511-524 (May 1991)				
	139	Vance et al., "Binding of monomeric human IgG defines an expression polymorphism of FcγRIII on large granular lymphocyte/natural killer cells" <u>Journal of Immunology</u> 151(11):6429-6439 (Dec 1, 1993)				
	Ward and Ghetie, "The effector functions of immunoglobulins: implications for therapy" Therapeutic 140 Immunology 2(2):77-94 (1995)					
	Warmerdam et al., "A single amino acid in the second Ig-like domain of the human Fcy receptor II is critical for human IgG2 binding" <u>Journal of Immunology</u> 147(4):1338-1343 (Aug 15, 1991)					
	Weng et al., "Computational determination of the structure of rat Fc bound to the neonatal Fc receptor Journal of Molecular Biology 282(2):217-225 (Sep 18, 1998)					
	Werther et al., "Humanization of an Anti-Lymphocyte Function-Associated Antigen (LFA)-1 Monoclonal Antibody and Reengineering of the Humanized Antibody for Binding to Rhesus LFA-1" J. of Immunology					
	144	157:4986-4995 (1996) Woof et al., "Localisation of the monocyte-binding region on human immunoglobulin G" Molecular 44 Immunology 23(3):319-330 (Mar 1986)				
	145	Wright and Morrison, "Effect of altered CH2-associated carboh properties and in vivo fate of chimeric mouse-human immunoglo 180(3):1087-1096 (Sep 1, 1994)	ydrate structure on the functional bulin G1" <u>Journal of Experimental Medicine</u>			
	146	Wu et al., "A novel polymorphism of FcγRIIIa (CD16) alters re autoimmune disease" <u>Journal of Clinical Investigation</u> 100(5):	ceptor function and predisposes to 1059-1070 (Sep 1, 1997)			
Examine	er		Date Considered			

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	~	Sheet 8 of 8
FORM PTO-1449 MAR 2 3 2007 SUS. Dept. of Commerce	Atty Doolet No.	. Serial No.
Patent and Trademark Office	Applicant Presta, L.	2
(Use several sheets if necessary)	Filing Date 15 Nov 2000	Group Ge53
OTHER DISCLOSURES (Including Author, Title, Date, P	Pertinent Pages, etc.)	3
Xu et al., "The N-terminal sequence of the CH2 domain controls to and IgG2 to activate complement" <u>Journal of Immunology</u> (abstract	no. 862) 150(8):1	52A (Apr 15, 1993)
Yap et al., "Human Fc gamma receptor IIA (FcYRIIA) genotyping and 148 erythematosus (SLE) in Chinese and Malays in Malaysia" <u>Lupus</u> 8(4):305-310 (1999)	
Yuan et al., "Antibody-mediated modulation of Cryptococcus neofo 149 Fc receptor functions and IgG subclasses" <u>Journal of Experimenta</u>	rmans infection is 1 <u>Medicine</u> 187(4):6	dependent on distinct 41-648 (Feb 16, 1998)
	···	
xaminer Date	• Considered	
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 60 if not in conformance and not considered. Include copy of this form with next communication to	9; draw line through cit	ation